





『軟部組織損傷・障害の病態とリハビリテーションー組織特性に基づくアプローチ法の構築』 正誤表

『軟部組織損傷・障害の病態とリハビリテーションー組織特性に基づくアプローチ法の構築』 第1版第1刷（2021年3月10日）に誤りがありました。



ここに深くお詫びいたし、訂正申し上げます。

(2021年5月12日更新 メジカルビュー社編集部)

ページ	該当箇所	誤	正
p.369	図5c, d	 c d	 c d ↑の位置を訂正
p.373	図8a	内側半月板のテスト	外側半月板のテスト
p.373	図8b	外側半月板のテスト	内側半月板のテスト
p.417	図1d右下	棘上筋	烏口腕筋
p.420	図5c, d	 a 膝内側 b 大腿骨遠位部レベルの横断面	 a 膝内側 b 大腿骨遠位部レベルの横断面 バイカー嚢胞を指す——— の位置を訂正

『軟部組織損傷・障害の病態とリハビリテーションー組織特性に基づくアプローチ法の構築』 正誤表

『軟部組織損傷・障害の病態とリハビリテーションー組織特性に基づくアプローチ法の構築』第1版第1刷（2021年3月10日）に誤りがありました。
ここに深くお詫びいたし、訂正申し上げます。（2021年3月10日 メジカルビュー社編集部）

ページ	該当箇所	誤	正
p.472	図2		 ▲の向きを訂正
p.472	図2	骨髄浮腫(→)に加え、脛骨前内側～後内側の表面に高信号領域(▷)を認めた。	骨髄浮腫(▷)に加え、脛骨前内側～後内側の表面に高信号領域(→)を認めた。
p.560	「癒着」上から8行目	…、可動域を低下させると考えられる ³⁸⁾ 。	…、可動域を低下させると考えられる ³⁹⁾ 。
p.645	文献36)	Stecco C, et al: Investigation of the mechanical properties of the human crural fascia and their possible clinical implications. Surg Radiol Anat, 36(1): 25-32, 2014.	Stecco A, et al: Ultrasonography in myofascial neck pain: randomized clinical trial for diagnosis and follow-up. Surg Radiol Anat, 36(3): 243-253, 2014.
p.645	文献39)	Stecco A, et al: Ultrasonography in myofascial neck pain: randomized clinical trial for diagnosis and follow-up. Surg Radiol Anat, 36(3): 243-253, 2014.	Stecco C, et al: Fascial or muscle stretching? A narrative review. Appl Sci, 11(1): 307, 2021.